

Handheld Thermal Imager						
Stock Code	System Code	Type	Range	Uom	Brand	
FK0705	A0005982	TIS 400 Industrial & Commercial	-20°C to +1200°C	EA	Fluke	
FK0708	A0005925	TIS 10 Performance Series	-20°C to +250°C	EA	Fluke	
FK0709	A0005983	TIS 20 Performance Series	-20°C to +350°C	EA	Fluke	



A0005925

Clamp Meters						
Stock Code	System Code	Type	Range Volt	Range Current	Uom	Brand
FK0032	A0005941	365 Detachable Jaw	600V AC/DC	200A AC/DC	EA	Fluke
FK0035	A0005944	325 General	600V AC/DC	400A AC/DC	EA	Fluke
MJ0050	A0010135	K2003A Digital	400/1000V AC/DC	400/2000A AC/DC	EA	Kyoritsu



A0005941

A0010135

Power Quality and Energy Analyzers						
Stock Code	System Code	Phase	Range Volt	Range Current	Uom	Brand
FK0510	A0005976	3 Phase + Neutral	1V-1000V Phase to Neutral	0.5A-6000A AC	EA	Fluke
UT0500	A0015037	3 Phase + Neutral	0.00V-1000V AC	0.0 mA-3000A AC	EA	Uni-T



A0015037



A0005976

Process Calibrators						
Stock Code	System Code	Type	Range Volt	Range Current	Uom	Brand
FK0255	A0005966	707 Loop Calibrator with a Quick-Click Knob	0 to 28V DC	4 to 24 mA	EA	Fluke
UT0600	A0015038	UT712 Loop Calibrator, USB with Software & a Cable	0-5V/0-10V/0-20V	22 mA	EA	Uni-T



A0015038



A0005966

Vibration Testers						
Stock Code	System Code	Machine Rotational Speed Range	Type	Sampling	Uom	Brand
FK0605	A0005977	10HZ-1000HZ/400-20000HZ	805 Handheld Meter	20HZ-80HZ	EA	Fluke
FK0610	A0005978	200 RPM-12000 RPM	810 Tri-Axis Measurement	51.2 HZ	EA	Fluke
UT0150	A0015026	0.1-199.9m/s <sup>2</sup> Vibration Acceleration 0.1-199.9mm/s Vibration Velocity	UT312 Pocket Size	10-1500Hz	EA	Uni-T



FK0605



UT0150



Loop Testers				
Stock Code	System Code	Type	Uom	Brand
MG0011	A0009994	Single Phase, Digital, 50-550V	EA	Megger
UT0160	A0015027	Multifunction, 9-In-1, 250-1000V	EA	Uni-T



A0015027



A0009994



A0010021



A0037485



A0010019



A0005140



A0010134



A0015039



A0015040



A0015042

Clamp Meters					
Stock Code	System Code	Type	Range	Uom	Brand
MG0282	A0010021	DCM340 Digital, True RMS	600A, 600V	EA	Megger
MG0277	A0037485	DCM310 Digital, True RMS	400A	EA	Megger
MG0279	A0010019	DCM320 Digital, True RMS	400A, 600V	EA	Megger
MG0280	A0010020	DCM330 Digital	200A, 1000V, 2M OHM	EA	Megger
BW0350	A0005140	8056 Digital, AC/DC	1000A	EA	Top Tronic
MJ0040	A0010134	MT723 AC/DC	1000A	EA	Majortech
FK0033	A0005942	323 Digital, AC, True RMS	400AC	EA	Fluke
FK0034	A0005943	324 Digital, AC, True RMS	400AC	EA	Fluke
FK0032	A0005941	365 AC/DC	200A	EA	Fluke
FK0029	A0005940	375 AC/DC	600A	EA	Fluke
FK0031	A0016382	376 AC/DC	1000A	EA	Fluke
UT0700	A0015039	UT209 Digital, AC/DC, True RMS	600V AC/DC-1000A AC/DC	EA	Uni-T
UT0710	A0015040	UT210D Digital, AC/DC, True RMS	600V AC/DC-200A AC/DC	EA	Uni-T
UT0720	A0015041	UT213B Digital, AC Only, True RMS	400A	EA	Uni-T
UT0730	A0015042	UT216A Digital, AC/DC, True RMS	750V AC-1000V DC-600A AC	EA	Uni-T



A0010036



A0015033



A0010130



A0010573

Earth Testers					
Stock Code	System Code	Type	Earth Voltage Range	Uom	Brand
MG0390	A0010036	1000-405/DET4TCR2 Digital Resistance	0-100	EA	Megger
MJ0020	A0010130	MT310 Leakage	220V	EA	Majortech
MS2060	A0010573	TP550 Leakage	525V	EA	Epc
UT0230	A0015033	UT521 Ground, Compact	200V	EA	Uni-T

ELECTRICAL TEST EQUIPMENT



A0005973



A0015034



A0009992



A0010012

Testers					
Stock Code	System Code	Type	Voltage	Uom	Brand
FK0405	A0005973	1507 Insulation Resistance	50/100/500/1000V	EA	Fluke
MG0009	A0009992	MIT330 Insulation & Continuity	250/500/1000V	EA	Megger
MG0185	A0010012	MFT1720 Multifunction Installation	250/500/1000V	EA	Megger
UT0240	A0015034	UT533 Insulation Resistance	1000V AC/DC	EA	Uni-T



A0005216

**Phase Tester**

Stock Code	System Code	Type	Range	Uom	Brand
BW0805	A0005216	TPC11K Comparator, High Voltage	11KV	EA	Top Tronic
MG0452	A0010028	PSI410 Rotation	50HZ	EA	Megger

**Three-Phase Power & Energy Loggers (CATIII 1000V)**

Stock Code	System Code	Measurement	Uom	Brand
FK0505	A0005975	1736 INTL Volts, Amps, Frequency, Harmonics, Power, Energy, Power Factors, & Events	EA	Fluke



A0005975

**Digital Tachometer**

Stock Code	System Code	Measurement & Range	Uom	Brand
MS0950	A0010441	Photo: 5-99,999 RPM & Contact: 0.5-19,999 RPM	EA	Top Tronic
UT0800	A0015043	Photo: 10-99,999 RPM 50-200 mm Target Distance	EA	Uni-T



A0010441



A0015043



A0010030



A0010033



A0005201



A0005200



A0010037



A0015021



A0010023



A0009989



A0016451



A0009993



A0015022



A0015023

Insulation Testers

Stock Code	System Code	Description	Range	Uom	Brand
FK0405	A0005973	1503 Digital, Cat II	500V/1000V	EA	Fluke
FK0406	A0005974	1587 Digital, Cat II	50V/100V/250V/500V/1000V	EA	Fluke
UT0100	A0015021	UT505A Digital, Cat IV	50V/100V/250V/500V/1000V	EA	Uni-T
MG0500	A0010030	MIT200 Digital	500V	EA	Megger
MG0600	A0010033	MIT400 Digital	250V/500V/1000V	EA	Megger
UT0110	A0015022	UT501B Digital, Cat III	100V/250V/500V/1000V	EA	Uni-T
BW0605	A0005201	T1851 Digital	250V/500V/1000V	EA	Top Tronic
MG0501	A0037489	MIT210 Digital	1000V	EA	Megger
MG0502	A0010031	MIT220 Digital	250V/500V	EA	Megger
MG0503	A0010032	MIT230 Digital	250V/500V/1000V	EA	Megger
MG0003	A0009989	MIT310 Digital	250V/500V/1000V	EA	Megger
MG0007	A0009991	MIT320 Digital	250V/500V/1000V	EA	Megger
UT0120	A0015023	UT513A Digital, Cat III, Secondary Display	500V/1000V/2500V/5000V	EA	Uni-T
MG0715	A0016451	MIT525 Digital/Analogue, USB, Data Recording	5KV	EA	Megger
MG0010	A0009993	MIT1025 Digital/Analogue	10KV	EA	Megger
MG0710	A0015439	MIT515 Digital/Analogue	5KV	EA	Megger
MG0005	A0009990	MIT310A-EN Analogue	250V/500V/1000V	EA	Megger
MJ0034	A0010131	K3131A Analogue	250V/500V/1000V	EA	Majortech
MJ0035	A0010132	K3132 Analogue	250V/500V/1000V	EA	Majortech
MG0376	A0010023	MJ15 Analogue	5KV	EA	Megger
BW0601	A0005200	T1832 Analogue	1000V	EA	Top Tronic
MG0705	A0010038	MIT420-EN Comes with Storage, Digital	50V/100V/250V/500V/1000V	EA	Megger
MG0695	A0010037	MIT430-EN Comes with Storage, Digital	250V/500V/1000V	EA	Megger
MG0115	A0037488	WM6 + BAG Kit & a Leather Bag	500V	KIT	Megger



A0005979



A0005926



A0005927



A0005930



A0010127



A0010138



A0005130



A0010029



A0015020



A0015019



A0015018

**Multimeters**

Stock Code	System Code	Description	Range	Uom	Brand
FK0000	A0005979	27 II Digital Sealed, IP 67	1000V	EA	Fluke
FK0806	A0005987	15B+Digital, Cat II Industrial Lite	300V	EA	Fluke
FK0807	A0005988	17B+Digital, Cat II Industrial Lite	600V	EA	Fluke
FK0004	A0005926	113 Digital, Utility	600V	EA	Fluke
FK0005	A0005927	115 Digital, True RMS, AC/DC	600V	EA	Fluke
FK0008	A0005929	117 Digital, True RMS, AC/DC	600V	EA	Fluke
FK0010	A0005930	175 Digital, True RMS, AC/DC	1000V	EA	Fluke
FK0015	A0005931	177 Digital, True RMS, AC/DC	1000V	EA	Fluke
FK0016	A0005932	177IS Digital, True RMS, AC/DC, Intrinsically Safe	1000V	EA	Fluke
FK0020	A0005933	179 Digital, True RMS, AC/DC	1000V	EA	Fluke
FK0021	A0005934	179IS Digital, True RMS, AC/DC, Intrinsically Safe	1000V	EA	Fluke
FK0023	A0005935	287 Digital, AC/DC, C/W Trend Capture	1000V	EA	Fluke
FK0025	A0005936	87V Digital, AC/DC	1000V	EA	Fluke
FK0026	A0005937	87VIS Digital, True RMS, AC/DC, Intrinsically Safe	1000V	EA	Fluke
FK0027	A0005938	289/FVF True RMS, Industrial Logging with Trend Capture	1000V AC/DC	KIT	Fluke
MJ0010	A0010127	MT24 Digital AC/DC	1000V	EA	Majortech
MJ0015	A0010128	MT22 Digital, Cat III AC/DC	600V	EA	Majortech
MJ0070	A0010138	MT832 General Purpose AC/DC	600V	EA	Majortech
MJ0090	A0010140	MT1883 General Purpose AC/DC	750V	EA	Majortech
BW0305	A0005130	T235H Digital with a Holster	750V AC/1000DC	EA	Top Tronic
BW0315	A0005133	A005 TBM811 Digital AC/DC	1000V	EA	Top Tronic
BW0314	A0005132	TBM805 Digital AC/DC	1000V	EA	Top Tronic
BW0320	A0005134	TBM812 Digital, AC/DC, True RMS	1000V	EA	Top Tronic
BW0326	A0005135	TBM252 General Purpose, Digital AC/DC	1000V	EA	Top Tronic
MG0453	A0010029	AVO410 Digital, Cat IV (CAT111)	600V	EA	Megger
UT0025	A0015020	UT139C Digital, True RMS, AC/DC	600V	EA	Uni-T
UT0015	A0015018	UT60H Digital, True RMS, AC/DC	1000V DC/600V AC	EA	Uni-T
UT0020	A0015019	UT181A Digital, Bluetooth Connection, IP65, AC/DC	1000V	EA	Uni-T



Pole Testers				
Stock Code	System Code	Type	Uom	Brand
UT0130	A0015024	TPT320 12-690V Phase Rotation, LCD/LED Display, Bright LED Torch, CAT IV 600V	EA	Megger



A0015024

Electrical Probe Testers					
Stock Code	System Code	Type	Range	Uom	Brand
FK0805	A0005986	T90 Digital, Voltage & Continuity	12V-690V	EA	Fluke
FK0803	A0005984	T130 Digital, Voltage & Continuity	6V-690V	EA	Fluke
DP0010	A0005678	DUSPOL Analog, Line	12-500V	EA	Duspol
UT0140	A0015025	UT15C Polarity & Continuity	690V AC/DC	EA	Uni-T



A0005986

A0015025

A0010034

Voltage Testers					
Stock Code	System Code	Type	Range	Uom	Brand
FK0101	A0005963	1ACII Pen, Cat III	1000V	EA	Fluke
MG0610	A0010034	VF1 Plus Torch Cat III	1000V	EA	Megger
MG0611	A0010035	VF2 Plus Torch Cat III	1000V	EA	Megger
WI0005	A0015257	WIBRETEST Line Tester	110-750V	EA	Wibre
UT0180	A0015028	P UT12A en, Cat IV	90-1000V	EA	Uni-T



A0015257

A0015028

Process Meters				
Stock Code	System Code	Type	Uom	Brand
FK0260	A0005967	787 Cat II, 1000V, 4-20MA	EA	Fluke
FK0261	A0005968	789 Cat II, 1000V, AC+DC	EA	Fluke



A0005967

Digital Testers (RCD)				
Stock Code	System Code	Range	Uom	Brand
MG0022	A0009997	50-280V	EA	Megger
MG0026	A0009998	50-280V, Download Functions	EA	Megger
UT0190	A0015029	3-In-1, 25-1000V AC/DC	EA	Uni-T



A0009997



A0015029



A0009998

Socket Testers					
Stock Code	System Code	Type	Range	Uom	Brand
BW0610	A0005203	ELC8 With Leads	220V	EA	Top Tronic
MG0031	A0005205	MST210	230V	EA	Megger



A0005203

Electrical Testers					
Stock Code	System Code	Type	Range	Uom	Brand
FK0105	A0005964	T5-600 Cat III	600V	EA	Fluke
FK0051	A0005947	T5-1000 Cat III/Cat IV	1000V	EA	Fluke
UT0200	A0015030	UT256B Cat III	750V AC/1000V DC	EA	Uni-T




A0005947



A0015030

Heavy-Duty Infrared Pistol Grip Thermometers (IP54)				
Stock Code	System Code	Range	Uom	Brand
FK0305	A0005970	-30°C to +500°C	EA	Fluke
FK0306	A0005971	-30°C to +650°C	EA	Fluke
UT0400	A0015035	-18°C to +400°C	EA	Uni-T
UT0410	A0015036	-32°C to +650°C	EA	Uni-T



Tester Accessories				
Stock Code	System Code	Type	Uom	Brand
FK0050	A0005946	C90 Carry Case for 179	EA	Fluke
FK0055	A0005949	C25 Carry Case for 87V	EA	Fluke
FK0060	A0005953	TL75-1 Test Lead Set	Set	Fluke
FK0069	A0005955	TLK-220 Lead Set Kit	Set	Fluke
FK0070	A0005956	80PK-27 Temperature Probe	EA	Fluke
FK0075	A0005958	AC283 Pincer Clip Set	Set	Fluke
FK0080	A0005962	TPAK Magnetic Hanging Clip for Fluke Multimeter	EA	Fluke
FK0076	A0005959	TL224 Silicone Leadset	Set	Fluke
FK0077	A0005960	TP220 Probe Set	Set	Fluke
FK0250	A0005965	AC220 Alligator Clip	EA	Fluke
MG0030	A0010002	1002-001 Lead Set	Set	Megger
MG0034	A0010013	6220-740 Leadset, 3 Pin, 1 Wire (LT, RCDT, LRCD)	Set	Megger
MG0043	A0010003	6420-132 Zip Up Case Carry	EA	Megger
MG0045	A0037478	6210-161 Testing Kit	Set	Megger
MG0930	A0015033	6320-245 Professional Ground Test Kit, 4 Pc	Kit	Megger
FK0080	A0005962	T-PAK 4 Pc Magnetic & Non-Magnetic Hanging Solution	Kit	Fluke
MG0047	A0005961	7017240 FUSE 1000V AC/DC 6 x 32 mm, 500mA DMM	EA	Megger
MJ0150	A0010143	HDT3914 Crocodile Clip Set	Set	Majortech
UT0210	A0015031	UT-L13 Lead Set, Double Insulated, 1.2 ml, CAT III 1000V	Set	Uni-T
UT0220	A0015032	UT-L23 Lead Set, Double Insulated, 1.23 ml, 150 Core, Cat III 1000V, Cat IV 600V	Set	Uni-T

ELECTRICAL TEST EQUIPMENT

**ITA Digital Multimeters - Professional 750V**

Large LCD Display, Data Hold, Low Battery Indication, Full Overload Protection, Fuse Protection at 10A & a Protection Rubber Holster

Model: VC890 D



**System Code: A0027479**

**Features:**

- Frequency Response: 40~400 Hz
- DC Voltage: 200mV/2V/20V/200V/1000V (± 0.5%)
- AC Voltage: 2V/20V/200V/750V (± 0.8%)
- DC Current: 20μA/2mA/200mA/20A (± 1.2%)
- AC Current: 2mA/200mA/20A (± 1.2%)
- Resistance: 200Ω/2kΩ/20kΩ/200kΩ/2MΩ (± 0.8%)
- Capacitance: 20nF/200nF/20μF/200μF (± 4.0%)
- Diode Check
- Continuity Test (Audible)
- Power Source: 6F22 (9V) x 1
- Dimension: 155 x 90 x 48 mm
- Weight: Approx. 270g (including battery)

**ITA Digital Multimeters - DIY 750V**

Large LCD Display. Auto On/Off. Data Hold Function. Overload Protection. Model EM8900.



**System Code: M750VDIY**

**Features:**

- DCV: 200mV/2V/20V/200V/1000V
- ACV: 2/20V/200V/750V
- DCA: 20μA/2mA/20mA/200mA/10A
- ACA: 2mA/20mA/200mA/10A
- OHM: 200Ω/2kΩ/20kΩ/200kΩ/ 2MΩ/20MΩ
- Battery Check: 1.5V, 9V
- Diode Check: 2.8V/1mA<30Ω (Buzzer will sound)
- Power Source: 9V Battery (6F22) x 1
- Dimensions: 180 x 90 x 40 mm
- Weight: 360g

**ITA Digital Multimeters - Professional 600V**

Large LED Display, Backlight, EMF Sender & Auto Power Off.

Model: EM5511



**System Code: A0027479**

**Features:**

- Function Measuring Range
- DC Voltage: 400mV/4V/40V/400V/600V
  - AC Voltage: 4V/40V/400V/600V
  - DC Current: 400μA/4000μA/40mA/400A/4A/10A
  - AC Current: 400μA/4000μA/40A/400mA/4A/10A
  - OHM: 400Ω/4kΩ/40kΩ/400kΩ/4M/40mΩ
  - Capacitance: 4nF/40nF/400nF/4μF/ 40μF/100μF
  - Frequency: 10Hz/100Hz/1KHz/10KHz/100KHz/>200KHz
  - Temperature: -20-400°C, 400°C-1000°C
  - Duty cycle: 1% - 99%
  - Diode check: 1.5V Continuity test (audible)
  - EMF: 400-4000mG

**ITA Digital Multimeters - Student 600V**

Large LCD display, Auto On/Off. Overload Protection & Safety Category II.

Model EM390



**System Code: A0020644**

**Features:**

- DCV: 200mV/2V/20V/200V/1000V
- ACV: 200V/600V
- DCA: 2mA/20mA/200mA/10A
- OHM: 200Ω/2kΩ/20kΩ/200kΩ/2MΩ
- Battery Check : 1.5V, 9V
- Diode Check: 2.8V/1mA
- Power Source: 9V Battery (NEDA6F22) x 1
- Dimensions: 128 x 70 x 28 mm
- Weight: 137g



## ITA Insulation Resistance Testers



**System Code: A0027481**

**Features:**

Accurate, Reliable and Easy to Operate. Used for Testing Insulation Resistance. Voltage can be switched between 250V, 500V & 1000V. Also used to test ACV resistance & for testing transformers, cables, switches, electrical appliances & automotive wiring.

## ITA Digital Thermometers

Model EM528A Non Contact, Data Hold.



**System Code: A0027480**

**Features:**

Temperature: -20-1000°C  
Accuracy: 1%

## ITA Automotive Digital Voltage Testers

Model GK9A



**System Code: A0027480**

**Features:**

2V, 3V, 4V, 5V, 9V, 12V, 12.5V, 13.5V

## ITA Digital Clamp Meters

Large LCD Display, Data Hold Function & Overload Protected.  
Model EM204



**System Code: A0027478**

**Features:**

- DCV: 1000V
- ACV: 750V
- ACA: 200/1000A
- DCA: 1
- OHM: 200kΩ
- Frequency: 2KHz
- STR: Yes
- Diode Check: 2.8V/1mA
- Size: 250 x 99 x 43 mm
- Weight: 400g